## Mod. 6128HL.B


EXPLORER CASES 6128HL

The new 6128HL case, originally designed for the safe transport of large drones, is also ideally suited for protecting delicate equipment in situations where mobility is required. Equipped with 75 mm self-lubricating wheels, it is available with or without foam inserts and comes in black, military green, sand, and orange.






METRIC MM-KG-C°




| INTERNAL DIMENSIONS | | EXTERNAL DIMENSIONS | | OTHER DATA | |
|---|---|---|---|---|---|
| L LENGTH | 610 mm | L LENGTH | 680 mm | WEIGHT EMPTY | 10 Kg |
| W WIDTH | 610 mm | W WIDTH | 696 mm | WEIGHT WITH FOAM | 11.80 Kg |
| D DEPTH | 271 mm | D DEPTH | 293 mm | WEIGHT WITH CUSTOM FOAM | Kg |
| LID | 50 mm | | | VOLUME | 100 lt |
| BASE | 221 mm | | | BUOYANCY | 74 Kg/max |
| | | | | OPERATING TEMPERATURE | °C min -33 / max 90 |

IMPERIAL IN-LBS-F°




| INTERNAL DIMENSIONS | | EXTERNAL DIMENSIONS | | OTHER DATA | |
|---|---|---|---|---|---|
| L LENGTH | 24 in | L LENGTH | 26 3/4 in | WEIGHT EMPTY | 22.05 lbs |
| W WIDTH | 24 in | W WIDTH | 27 9/16 in | WEIGHT WITH FOAM | 26.02 lbs |
| D DEPTH | 10 11/16 in | D DEPTH | 11 5/16 in | WEIGHT WITH CUSTOM FOAM | lbs |
| LID | 1 15/16 in | | | VOLUME | 26.42 gal |
| BASE | 8 11/16 in | | | BUOYANCY | 163.14 lbs/max |

| | |
|---|---|
| **OPERATING TEMPERATURE** | °F min -27.4 / max 194 |

# FEATURES