



iM2875

Storm

Travel Case

The Peli™ Storm Case™ has the same legendary DNA as our Peli Protector Case, with one primary difference: A unique Press and Pull latch that locks automatically, but open with a light touch. Guaranteed for life, the Peli Storm case is made in the USA and engineered using the finest components.

- Six Press & Pull Latches
- Two Padlockable Hasps
- Two Double-layered, Soft-grip Handles
- Powerful Hinges
- O-ring seal
- Telescoping Handle



CONFIGURATIONS



iM2875
Standard



iM2875-X0000
No Foam



iM2875-X0002
With Padded Dividers



iM2875-X0001
With Foam

DIMENSIONS

Interior (LxWxD)	22.50 x 21.10" x 11.40 (57.2 x 53.6 x 29 cm)
Exterior (LxWxD)	24.90 x 23.70" x 13.10 (63.2 x 60.2 x 33.3 cm)
Lid Depth	2.00" (5.1 cm)
Bottom Depth	9.40" (23.9 cm)
Total Depth	11.4" (29 cm)
Int Volume	3.13 ft³ (0.089 m³)
Padlock Hole Diameter	3/8" (7.6 cm)

MATERIALS

Body	Injection Molded HPX™ high performance resin
Latch	Valox - Polybutylene Terephthalate (PBT)
Latch (Alt)	Xenoy - Polyester/Polycarbonate blend
O-Ring	EPDM
Pins	Stainless Steel
Pins (Alt)	Aluminum
Foam	1.3/1.35 polyester
Purge Body	Valox - Polybutylene Terephthalate (PBT)
Purge Body (Alt)	Xenoy - Polyester/Polycarbonate blend
Purge Vent	Gortex membrane

COLOURS

 Black

 OD Green

WEIGHT

Weight With Foam	24.60 lbs (11.2 kg)
Weight Empty	20.10 lbs (9.1 kg)
Buoyancy	194.16 lbs (88.1 kg)
Master Pack Weight	32.00 lbs (14.5 kg)

TEMPERATURE

Minimum Temperature	-20°F (-28.9 °C)
Maximum Temperature	140°F (60 °C)

CERTIFICATIONS

MIL-STD-810F
ATA 300
FED-STD-101C

FOAM PROPERTIES

Layer 1 (Lid)	2.00" Convolute
Layer 2 (Base)	0.63" Pad
Layer 3 (Base)	1.78" Pick N Pluck
Layer 4 (Base)	1.78" Pick N Pluck
Layer 5 (Base)	1.78" Pick N Pluck
Layer 6 (Base)	1.78" Pick N Pluck
Layer 7 (Base)	1.78" Pick N Pluck

OTHER

Extendable Handle	yes
Master Pack	1
Military	yes

ACCESSORIES



iM2875-UTILITYORG
Utility Organizer




iM2875-FOAM
7 pc. Replacement Foam Set



iM2875-DIV
Padded Divider Set



iM-LIDSTAY
Lid Stay



IM2875-MBEZ-B
Base Bezel (Metric)



IM28XX-M4-BEZEL-L
Lid Bezel (Metric)



1506TSA
TSA Lock



1500D
Desiccant Silica Gel
